<u>E</u>	Department of Veterans Affa	airs	WRIST COND	ITIONS DISABILIT	Y BENEFITS QUESTIONNAIRE				
<b>IMPORTANT -</b> THE DEPARTMENT OF VETERANS AFFAIRS (VA) <i>WILL NOT PAY</i> OR <i>REIMBURSE</i> ANY EXPENSES OR COST INCURRED IN THE PROCESS OF COMPLETING AND/OR SUBMITTING THIS FORM. PLEASE READ THE PRIVACY ACT AND RESPONDENT BURDEN INFORMATION ON REVERSE BEFORE COMPLETING FORM.									
NAN	IE OF PATIENT/VETERAN				PATIENT/VETERAN'S SOCIAL SECURITY NUMBER				
info	<b>NOTE TO PHYSICIAN</b> - The veteran or service member is applying to the U.S. Department of Veterans Affairs (VA) for disability benefits. VA will consider the information you provide on this questionnaire as part of their evaluation in processing the claim. VA reserves the right to confirm the authenticity of ALL DBQs completed by private health care providers.								
			MEDICAL RECO	ORD REVIEW					
WAS	S THE VETERAN'S VA CLAIMS FILE REVIE	EWED?							
	YES NO								
IF Y	ES, LIST ANY RECORDS THAT WERE RE	VIEWED BUT WE	RE NOT INCLUDED I	N THE VETERAN'S VA CL	AIMS FILE:				
IF N	O, CHECK ALL RECORDS REVIEWED:								
	Military service treatment records	Department	of Defense Form 214	Separation Documents					
	Military service personnel records	Veterans He	alth Administration me	edical records (VA treatment	nt records)				
	Military enlistment examination	Civilian med	ical records						
	Military separation examination	Interviews w	ith collateral witnesses	s (family and others who h	ave known the veteran before and after military service)				
	Military post-deployment questionnaire	Other:							
		No records v	were reviewed						
			SECTION I - D	DIAGNOSIS					
		valuation has been	requested on an exar	n request form (Internal V	A) or for which the Veteran has requested medical				
	ence be provided for submission to VA.								
1A.	LIST THE CLAIMED CONDITION(S) THAT	PERTAIN TO THIS	S DBQ:						
					ove. If there is no diagnosis, if the diagnosis is different				
					ition, explain your findings and reasons in comments approximate date determined through record review or				
	orted history.		chinician is making t	ne initial diagnosis, or an a	approximate date determined through record review of				
1B.	SELECT DIAGNOSES ASSOCIATED WITH	I THE CLAIMED C	ONDITION(S) (Check	all that apply):					
					your findings and reasons in comments section.)				
	-			· • •	· · · · · ·				
	Wrist Sprain, Chronic Side aff	= *		ICD Code:					
	Tendinitis, wrist Side aff	= *		ICD Code:					
	$\mathbf{O}$	fected: 🔄 Right	= $=$	ICD Code:					
	Carpal metacarpal (CMC) Side aff arthritis	fected: Sight	Left Both	ICD Code:	Date of diagnosis:				
	Osteoarthritis arthritis, wrist Side aff	fected: 🗌 Right	Left Doth	ICD Code:	Date of diagnosis:				
	deQuervain's syndrome Side aff	fected: Right	Left Doth	ICD Code:					
	Triangular fibrocartilaginous Side aff	fected: 🗌 Right	Left Doth	ICD Code:					
	complex ( <i>TFCC</i> ) injury Carpal instability ( <i>intercalated</i> Side aff segment/midcarpal/	fected: Right	E Left Both	ICD Code:					
	scapholunate dissociation) Avascular necrosis of carpal Side aff	fected: 🗌 Right	Left 🗌 Both	ICD Code:	Date of diagnosis:				
	bones Wrist arthroplasty (total/ulnar Side aff head replacement)	fected: Right	Left Doth	ICD Code:					
	Ankylosis of wrist Side aff	fected: Right	Left Both	ICD Code:	Date of diagnosis:				
	Other (specify)				5				
	Other diagnosis #1:								
	Side affected: Right Left I	Both ICD Code:	:	Date of diagno	sis:				
	Other diagnosis #2:								
	Side affected: Right Left I	Both ICD Code	:	Date of diagno	sis:				
	Other diagnosis #3:								
	Side affected: Right Left I	Both ICD Code:		Date of diagno	sis:				

SECTION I - DIAGNOSIS (Continued)							
1C. COMMENTS (if any):							
		BOUT THIS CONDITION (int	ernal VA only]?				
YES	NO N/A						
		SE	ECTION II - MEDICAL HISTORY				
2A. DESCRIBE TH	E HISTORY (includi	ng onset and course) OF THE	E VETERAN'S WRIST CONDITION (brief summary):				
2B. DOMINANT HA	ND:						
RIGHT	LEFT AM	BIDEXTROUS					
		IAT FLARE-UPS IMPACT TH	E FUNCTION OF THE WRIST?				
IF YES, DOCUMEN	IT THE VETERAN'S	DESCRIPTION OF THE IMP.	ACT OF FLARE-UPS IN HIS OR HER OWN WORDS:				
			OSS OR FUNCTIONAL IMPAIRMENT OF THE JOINT OR EXTREMITY BEING EVALUATED ON THIS				
DBQ (regardle	ss of repetitive use)?	?					
YES	NO						
IF YES, DOCUMEN	NT THE VETERAN'S	DESCRIPTION OF FUNCTION	ONAL LOSS OR FUNCTIONAL IMPAIRMENT IN HIS OR HER OWN WORDS:				
			L RANGE OF MOTION (ROM) MEASUREMENTS				
		g the examination be cognizar ument painful movement in Se	nt of painful motion, which could be evidenced by visible behavior such as facial expression, wincing, action 5.				
Following the initial	assessment of ROM	, perform repetitive use testing	g. For VA purposes, repetitive use testing must be included in all joint exams. The VA has determined				
that 3 repetitions of ROM (at a minimum) can serve as a representative test of the effect of repetitive use. After the initial measurement, reassess ROM after 3 repetitions.							
Report post-test measurements in question 4A.							
3A. INITIAL ROM N	3A. INITIAL ROM MEASUREMENTS						
Wrist	Joint Movement	ROM Measurement	If ROM testing is not indicated for the veteran's condition or not able to be performed, please explain why, and then proceed to Section 5:				
	Palmar Flexion						
	(normal endpoint	Not indicated					
	= 80 degrees)	Not able to perform					
RIGHT	Dorsiflexion	Not indicated					
WRIST	(normal endpoint = 70 degrees)						
Not able to perform							
Ulnar Deviation							
	(normal endpoint	Not indicated					
	= 45 degrees) Not able to perform						
Radial Deviation							
	(normal endpoint = 20 degrees)	Not indicated					
		Not able to perform					

SECTION III - INITIAL RANGE OF MOTION ( <i>ROM</i> ) MEASUREMENTS ( <i>Continued</i> )									
3A. INITIAL ROM MEASUREMENTS (Continued)           Write         If ROM testing is not indicated for the veteran's condition or not able to be performed,									
Wrist	Joint Movement	ROM Measurement		please explain why, and then	proceed to Section 5:	o be performed,			
	Palmar Flexion (normal endpoint = 80 degrees)	Not indicated							
LEFT WRIST	Dorsiflexion (normal endpoint = 70 degrees)	Not indicated Not able to perform							
	Ulnar Deviation (normal endpoint = 45 degrees)	Not indicated Not able to perform							
	Radial Deviation (normal endpoint = 20 degrees)	Not indicated Not able to perform							
YES (you w	ill be asked to further	D ABOVE CONTRIBUTE TO F describe these limitations in . MAL ROMs DO NOT CONTRIE	Section 6 belo						
3C. IF ROM DOES NOT CONFORM TO THE NORMAL RANGE OF MOTION IDENTIFIED ABOVE BUT IS NORMAL FOR THIS VETERAN (for reasons other than a wrist condition, such as age, body habitus, neurologic disease), EXPLAIN: SECTION IV - ROM MEASUREMENTS AFTER REPETITIVE USE TESTING									
4A. POST-TEST I Wrist	ROM MEASUREMENT	S able to perform repetitive-use	e testing?	Is there additional limitation in ROM after repetitive-use testing?	Joint Movement	Post-test ROM Measurement			
	Yes			Yes	Palmar Flexion				
RIGHT		petitive-use testing		<ul> <li>No, there is no change in ROM after repetitive testing</li> <li>If yes, report ROM after a minimum of 3 repetitions.</li> <li>If no, documentation of ROM after</li> </ul>	Dorsiflexion				
WRIST	If no, provide reas	son below, then proceed to Se	Ction 5		Ulnar Deviation				
				repetitive-use testing is not required.	Radial Deviation				
	Yes No			Yes No, there is no change in ROM	Palmar Flexion				
LEFT	If yes, perform re	petitive-use testing	action 5	after repetitive testing	Dorsiflexion				
WRIST	ii no, provide rea	If no, provide reason below, then proceed to Section 5		of 3 repetitions. If no, documentation of ROM after	Ulnar Deviation				
				repetitive-use testing is not required.	Radial Deviation				
<ul> <li>4B. DO ANY POST-TEST ADDITIONAL LIMITATIONS OF ROMS NOTED ABOVE CONTRIBUTE TO FUNCTIONAL LOSS?</li> <li>YES (you will be asked to further describe these limitations in Section 6 below)</li> <li>NO, EXPLAIN WHY THE POST-TEST ADDITIONAL LIMITATIONS OF ROMS DO NOT CONTRIBUTE:</li> </ul>									

SECTION V - PAIN									
5A. ROM MOVEMENTS PAINFUL ON ACTIVE, PASSIVE AND/OR REPETITIVE USE TESTING									
Wrist	Are any ROM movements painful on active, passive and/or repetitive use testing? (If yes, identify whether active, passive, and/or repetitive use in question 5D)	If yes <i>(there are painful movemen</i> pain contribute to functional additional limitation of RC	loss or M?		<i>uin does not contribute to functional loss or additional n of ROM)</i> , explain why the pain does not contribute:				
RIGHT WRIST	Yes No	Yes (you will be asked to fur these limitations in Section 6	í below)						
LEFT WRIST	Yes No	Yes (you will be asked to fur these limitations in Section ( No							
5B. PAIN WHE	N USED IN WEIGHT-BEARING OR	IN NON WEIGHT-BEARING							
Wrist	Is there pain when the joint is used in weight-bearing or non weight? (If yes, identify whether weight- bearing or non weight-bearing in question 5D)	If yes (there is pain when used in w or non weight-bearing), does the p to functional loss or additional limita	ain contribute tion of ROM?		ain does not contribute to functional loss or additional $n \ of \ ROM$ ), explain why the pain does not contribute:				
RIGHT WRIST	Yes No	Yes (you will be asked to fur these limitations in Section ( No	í below)						
LEFT WRIST	Yes No	Yes (you will be asked to fur these limitations in Section ( No							
5C. LOCALIZE	D TENDERNESS OR PAIN ON PAL	PATION							
Wrist	Does the Veteran have localized to or pain to palpation of joints or so	It ves describe includ	ing location, se	everity and rela	ationship to condition(s) listed in the Diagnosis section:				
RIGHT WRIST	Yes No								
LEFT WRIST	Yes No								
5D. COMMENT	S, IF ANY:								
	SECTIO	N VI - FUNCTIONAL LOSS AND	ADDITIONA	L LIMITATIO	ON OF ROM				
normal excursi movements in Using informat	on, strength, speed, coordination ar different planes. ion from the history and physical e	nd/or endurance. As regards the joint	s, factors of dis ntribute to fun	sability reside	rm normal working movements of the body with in reductions of their normal excursion of impairment (regardless of repetitive use) or to				
64 CONTRIBI		heck all that apply and indicate side	affected):						
	onal loss for left upper extremity attrib		ujjecieu).						
	onal loss for right upper extremity attr								
		s, limitation or blocking, adhesions,	Right	Left	Both				
More mov		s, resections, nonunion of fractures,	Right	Left	Both				
Weakene	n of ligaments, etc.) d movement (due to muscle injury, ivided or lengthened tendons, etc.)	disease or injury of peripheral	Right	Left	Both				
Excess fa	tigability		Right	Left	Both				
	ation, impaired ability to execute skill	ed movements smoothly	Right	Left	Both				
Pain on m	novement		Right	Left	Both				
Swelling			Right	Left	Both				
Deformity			Right	Left	Both				
Atrophy o			Right	Left	Both				
Instability			Right	Left	Both				
	ce of locomotion		Right	Left	Both				
	ce with sitting		Right	Left	Both				
	ce with standing		Right	Left	Both				
Other, describe:									
NOTE									
<b>NOTE:</b> If any of the above factors is/are associated with limitation of motion, the examiner must give an opinion on whether pain, weakness, fatigability, or incoordination could significantly limit functional ability during flare-ups or when the joint is <i>used repeatedly over a period of time</i> and that opinion, if feasible, should be expressed in terms of the degree of additional ROM loss due to pain on use or during flare-ups. The following section will assist you in providing this required opinion.									

SECTION VI - FUNCTIONAL LOSS AND ADDITIONAL LIMITATION OF ROM (Continued)									
6B. ARE ANY OF THE ABOVE FACTORS ASSOCIATED WITH LIMITATION OF MOTION?									
YES (I)	YES (If yes, complete questions 6C and 6D)								
NO (If no, proceed to question 6D)									
OC. CONTRI	6C. CONTRIBUTING FACTORS OF DISABILITY ASSOCIATED WITH LIMITATION OF MOTION								
Wrist	WristCan pain, weakness, fatigability, or incoordination significantly limit functional ability during flare-ups or when the joint is used repeatedly over a period of time?If yes, please estimate ROM due to pain and/or functional loss during flare-ups or when the joint is used repeatedly over a period of time?If there is a functional loss due to pain, during flare-ups and/or when the limitation of ROM cannot be estimated, please describe the functional loss:								
			Palmar Flexion	Est. ROM is not feasible					
RIGHT	Yes	] No	Dorsiflexion	Est. ROM is not feasible					
WRIST			Ulnar Deviation	Est. ROM is not feasible					
			Radial Deviation	Est. ROM is not feasible					
			Palmar Flexion	Est. ROM is not feasible					
LEFT	Yes	No No	Dorsiflexion	Est. ROM is not feasible					
WRIST			Ulnar Deviation	Est. ROM is not feasible					
			Radial Deviation	Est. ROM is not feasible					
				WITH LIMITATION OF MOTION					
	E ANY FUNCTIONAL LO		ed with limitat	ion of motion) DURING FLARE-UPS	S OR WHEN THE JOINT IS USED REPEATEDLY OVER A				
RIGHT WRIS			:						
		,							
LEFT WRIST	: Yes No	o If yes, describe	:						
			SECTION	NVII - MUSCLE STRENGTH TE	STING				
7A. MUSCLE	STRENGTH - RATE ST	TRENGTH ACCOF	NOING TO THE	FOLLOWING SCALE:					
1/5 Palpa 2/5 Active 3/5 Active	uscle movement ble or visible muscle cor movement with gravity movement against grav movement against som	eliminated vity	nt movement						
5/5 Norm	al strength								
Wrist			reduction in strength?	If yes, is the reduction entirely due claimed condition in the Diagnosis set					
RIGHT WRIST	Flexion	/5	s 🗌 No	Yes No					
	Extension	/5							
LEFT WRIST	Flexion	/5	5 🗌 No	Yes No					
Extension /5									
7B. DOES THE VETERAN HAVE MUSCLE ATROPHY?									
YES NO									
IF YES, IS THE MUSCLE ATROPHY DUE TO THE CLAIMED CONDITION IN THE DIAGNOSIS SECTION?									
YES NO IF NO, PROVIDE RATIONALE:									
IF YES CONTINUE ON PAGE 6 ITEM 7B (Continued)									
IF YES, CONTINUE ON PAGE 6, ITEM 7B (Continued).									

SECTION VII - MUSCLE STRENGTH TESTING (Continued)							
7B. DOES THE VETERAN HAVE MUSCLE ATROPHY? (Continued) FOR ANY MUSCLE ATROPHY DUE TO A DIAGNOSES LISTED IN SECTION 1, INDICATE SIDE AND SPECIFIC LOCATION OF ATROPHY, PROVIDING MEASUREMENTS IN CENTIMETERS OF NORMAL SIDE AND CORRESPONDING ATROPHIED SIDE, MEASURED AT MAXIMUM MUSCLE BULK.							
LOCATION OF MUSCLE ATROPHY:							
RIGHT UPPER EXTREMITY (specify location of measurement such as "10cm above or below elbow"):							
CIRCUMFERENCE OF MORE NORMAL SIDE: cm CIRCUMFERENCE OF							
LEFT UPPER EXTREMITY (specify location of measurement such as "10cm above or belo	ow elbow"):						
CIRCUMFERENCE OF MORE NORMAL SIDE: cm CIRCUMFERENCE OF	ATROPHIED SIDE: cm						
7C. COMMENTS, IF ANY:							
SECTION VIII - ANKYL NOTE: Ankylosis is the immobilization and consolidation of a joint due to disease, injury or s							
COMPLETE THIS SECTION IF THE VETERAN HAS ANKYLOSIS OF THE WRIST.							
8A. INDICATE SEVERITY OF ANKYLOSIS AND SIDE AFFECTED (check all that apply):							
RIGHT SIDE: LEFT SIDE:							
	vorable, with ulnar deviation						
If checked, provide degrees of ulnar deviation:	ecked, provide degrees of ulnar deviation:						
	vorable, with radial deviation						
	ecked, provide degrees of radial deviation:						
	vorable, in any degree of palmar flexion						
	ecked, provide degrees of palmar flexion:						
Any other position except favorable       Any other position except favorable         If checked, describe:       If checked, describe:							
	· · · · · · · · · · · · · · · · · · ·						
Favorable in 20° to 30° dorsiflexion	orable in 20° to 30° dorsiflexion						
No ankylosis No a	nkylosis						
8B. COMMENTS, IF ANY:							
SECTION IX - SURGICAL PR	OCEDURES						
9. INDICATE ANY SURGICAL PROCEDURES THAT THE VETERAN HAS HAD PERFORMED A	ND PROVIDE THE ADDITIONAL INFORMATION AS REQUESTED						
(check all that apply):							
	SIDE: FOTAL WRIST JOINT REPLACEMENT						
	DATE OF SURGERY:						
	RESIDUALS:						
None	None						
Intermediate degrees of residual weakness, pain or limitation of motion	Intermediate degrees of residual weakness, pain or limitation of motion						
Chronic residuals consisting of severe painful motion or weakness	Chronic residuals consisting of severe painful motion or weakness						
Other, describe:	Other, describe:						
	ARTHROSCOPIC OR OTHER WRIST SURGERY						
	TYPE OF SURGERY:						
DATE OF SURGERY:	DATE OF SURGERY:						
RESIDUALS OF ARTHROSCOPIC OR OTHER WRIST SURGERY	RESIDUALS OF ARTHROSCOPIC OR OTHER WRIST SURGERY						
DESCRIBE RESIDUALS:	DESCRIBE RESIDUALS:						

SECTION X - OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS, SYMPTOMS AND SCARS
10A. DOES THE VETERAN HAVE ANY OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS OR SYMPTOMS, OR ANY SCARS (surgical or otherwise) RELATED TO ANY CONDITIONS OR TO THE TREATMENT OF ANY CONDITIONS LISTED IN THE DIAGNOSIS SECTION ABOVE?
YES NO IF YES, COMPLETE QUESTIONS 10B-10D.
10B. DOES THE VETERAN HAVE ANY OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS OR SYMPTOMS RELATED TO ANY CONDITIONS LISTED IN THE DIAGNOSIS SECTION ABOVE?
YES NO IF YES, DESCRIBE (brief summary):
10C. DOES THE VETERAN HAVE ANY SCARS (surgical or otherwise) RELATED TO ANY CONDITIONS OR TO THE TREATMENT OF ANY CONDITIONS LISTED IN THE DIAGNOSIS SECTION ABOVE?
IF YES, ARE ANY OF THESE SCARS PAINFUL OR UNSTABLE; HAVE A TOTAL AREA EQUAL TO OR GREATER THAN 39 SQUARE CM (6 square inches); OR ARE LOCATED ON THE HEAD, FACE OR NECK?
YES NO IF YES, ALSO COMPLETE VA FORM 21-0960F-1, SCARS/DISFIGUREMENT.
IF NO, PROVIDE LOCATION AND MEASUREMENTS OF SCAR IN CENTIMETERS.
Location: Measurements: length cm X width cm.
NOTE: An "unstable scar" is one where, for any reason, there is frequent loss of covering of the skin over the scar. If there are multiple scars, enter additional locations and measurements in Comment section below. It is not necessary to also complete a Scars DBQ.
10D. COMMENTS, IF ANY:
SECTION XI - ASSISTIVE DEVICES
11A. DOES THE VETERAN USE ANY ASSISTIVE DEVICES?
YES NO IF YES, IDENTIFY ASSISTIVE DEVICES USED (check all that apply and indicate frequency):
Brace Frequency of use: Occasional Regular Constant
Constant
11B. IF THE VETERAN USES ANY ASSISTIVE DEVICES, SPECIFY THE CONDITION AND IDENTIFY THE ASSISTIVE DEVICE USED FOR EACH CONDITION:
SECTION XII - REMAINING EFFECTIVE FUNCTION OF THE EXTREMITIES
12A. DUE TO THE VETERAN'S WRIST CONDITIONS, IS THERE FUNCTIONAL IMPAIRMENT OF AN EXTREMITY SUCH THAT NO EFFECTIVE FUNCTIONS REMAIN OTHER THAN THAT WHICH WOULD BE EQUALLY WELL SERVED BY AN AMPUTATION WITH PROSTHESIS? (Functions of the upper extremity include grasping, manipulation, etc., while functions for the lower extremity include balance and propulsion, etc.)
YES, FUNCTIONING IS SO DIMINISHED THAT AMPUTATION WITH PROTHESIS WOULD EQUALLY SERVE THE VETERAN.
IF YES, INDICATE EXTREMITIES FOR WHICH THIS APPLIES: RIGHT UPPER LEFT UPPER
FOR EACH CHECKED EXTREMITY, IDENTIFY THE CONDITION CAUSING LOSS OF FUNCTION, DESCRIBE LOSS OF EFFECTIVE FUNCTION AND PROVIDE SPECIFIC EXAMPLES ( <i>brief summary</i> ):
<b>NOTE:</b> The intention of this section is to permit the examiner to quantify the level of remaining function; it is not intended to inquire whether the Veteran should undergo an amputation with fitting of a prothesis. For example, if the functions of grasping (hand) or propulsion (foot) are as limited as if the Veteran had an
amputation and prosthesis, the examiner should check "yes" and describe the diminished functioning. The question simply asks whether the functional loss is to the same degree as if there were an amputation of the affected limb.
SECTION XIII - DIAGNOSTIC TESTING
<b>NOTE:</b> Testing listed below is not indicated for every condition. The diagnosis of degenerative arthritis (osteoarthritis) or traumatic arthritis must be confirmed by imaging studies. Once such arthritis has been documented, even if in the past, no further imaging studies are required by VA, even if arthritis has worsened.
13A. HAVE IMAGING STUDIES OF THE WRIST BEEN PERFORMED AND ARE THE RESULTS AVAILABLE?
IF YES, IS DEGENERATIVE OR TRAUMATIC ARTHRITIS DOCUMENTED?
YES NO IF YES, INDICATE WRIST: RIGHT LEFT BOTH

SECTION XIII - DIAGNOSTIC TESTING (Continued)							
13B. ARE THERE ANY OTHER SIGNIFICANT DIAGNOSTIC TEST FINDINGS OR RESULTS?							
YES NO IF YES, PROVIDE TYPE OF TEST OR PROCEDURE, DATE AND RESULTS (brief summary):							
	REPITUS?						
YES NO IF YES, INDICATE	WRIST:	IGHT LEFT BOTH					
13D. IF ANY TEST RESULTS ARE OTHER THA							
13D. IF ANT TEST RESULTS ARE OTHER TH	AN NORWAL, INDIC	CATE RELATIONSHIP OF ABNORMAL FIL	DINGS TO DIAGNOSED CO	NDITIONS.			
		CTION XIV - FUNCTIONAL IMPACT					
<b>NOTE:</b> Provide the impact of only the diagnos	sed condition(s), w	ithout consideration of the impact of othe	r medical conditions or factor	s, such as age.			
14. REGARDLESS OF THE VETERAN'S CURR		NT STATUS, DO THE CONDITION(S) LIST	ED IN THE DIAGNOSIS SEC	FION IMPACT HIS OR HER			
ABILITY TO PERFORM ANY TYPE OF OCC	CUPATIONAL TAS	K (such as standing, walking, lifting, sittin	g, etc.)?				
YES NO IF YES, DESCRIBE	E THE FUNCTION	AL IMPACT OF EACH CONDITION, PROV	DING ONE OR MORE EXAM	PLES:			
		,,,,					
		SECTION XV - REMARKS					
15. REMARKS, IF ANY:							
	SECTION XVI - I	PHYSICIAN'S CERTIFICATION AND	SIGNATURE				
<b>CERTIFICATION</b> - To the best of my k	nowledge the in	formation contained herein is accurat	e complete and current				
	nowieuge, the m		e, complete and current.				
16A. PHYSICIAN'S SIGNATURE		16B. PHYSICIAN'S PRINTED NAME		16C. DATE SIGNED			
16D. PHYSICIAN'S PHONE NUMBER	16E. PHYSICIAN	I'S MEDICAL LICENSE NUMBER	16F. PHYSICIAN'S ADDR	ESS			
	<u> </u>						
NOTE: VA may request additional medical inf	formation, includin	g additional examinations, if necessary to	complete VA's review of the	veteran's application.			
<b>IMPORTANT -</b> Physician please fax the	completed form						
		(VA Regional Office FAX N	(o.)				
<b>NOTE:</b> A list of VA Regional Office FAX Numbers can be found at <u>www.vba.va.gov/disabilityexams</u> or obtained by calling 1-800-827-1000.							
<b>PRIVACY ACT NOTICE:</b> VA will not disclose in							
Federal Regulations 1.576 for routine uses (i.e., civil or criminal law enforcement, congressional communications, epidemiological or research studies, the collection of money owed to the United States, litigation in which the United States is a party or has an interest, the administration of VA programs and delivery of VA benefits, verification of identity and status, and personnel							
administration) as identified in the VA system of records, 58/VA21/22/28, Compensation, Pension, Education and Vocational Rehabilitation and Employment Records - VA, published in the							
Federal Register. Your obligation to respond is required to obtain or retain benefits. VA uses your SSN to identify your claim file. Providing your SSN will help ensure that your records are							
properly associated with your claim file. Giving us your SSN account information is voluntary. Refusal to provide your SSN by itself will not result in the denial of benefits. VA will not deny an							
individual benefits for refusing to provide his or her SSN unless the disclosure of the SSN is required by a Federal Statute of law in effect prior to January 1, 1975, and still in effect. The							
requested information is considered relevant and necessary to determine maximum benefits under the law. The responses you submit are considered confidential (38 U.S.C. 5701). Information submitted is subject to verification through computer matching programs with other agencies.							
sublinited is subject to verification through computer i	matering programs w	tui otilei ageneies.					
<b>RESPONDENT BURDEN:</b> We need this information							
you will need an average of 30 minutes to review the							
control number is displayed. You are not required to respond to a collection of information if this number is not displayed. Valid OMB control numbers can be located on the OMB Internet Page							
at www.reginfo.gov/public/do/PRAMain. If desired, you can call 1-800-827-1000 to get information on where to send comments or suggestions about this form.							